



ACP SERIES



MAIN CHARACTERISTICS OF THE STERILIZER :

- > COST SAVER (LOW ENERGY AND LOW LABOUR)
- > FULLY AUTOMATED
- > HIGH QUALITY FINAL PRODUCTS
- > FLEXIBLE AND VERSATILE
- > RELIABLE AND EFFICIENT




The continuous retort ACP is specially designed for sterilization of food pouches or flat trays with a steam air process.


The semi-static process with over pressure ensures the integrity of the packaging.

This continuous sterilizer is specially designed for medium to large productions and can run different sizes and different materials within the same machine.


An automated system for handling products and trays is part of the supply.



- > Machines available for different sizes of pouches
- > Automated loading and unloading
- > No lag time (or waiting time)
- > User friendly HMI with maintenance trackers
- > Continuous control and record of critical parameters
- > Multi recipe system
- > Remote access for maintenance
- > Certifications CE, TUV, ASME
- > Multi PLC brands available (Rockwell, Schneider, Siemens ...)
- > Special design on request



Carrier for pouches



Fully automated handling of pouches and trays

REF	PRODUCTION SPEED (PPM)	LENGHT (M)	WIDTH (M)	HEIGHT (M)
ACP 230 - 2500	560 100 g pouches @ 15'cook time	20.00	2.70	3.55
ACP 100 - 3200	125	22.10	4.00	3.95
ACP 150 - 3200	187	25.70	4.00	3.95
ACP 200 - 3200	250	26.70	4.00	3.95

Speed given for 30 min holding time and 400g pouches 14x19x4 cm